

2020 SeaPerch Challenge Competition Classes and Design Rules



| Rules | Middle School Stock Class | | High School Stock Class | | Open Class |
|--|---------------------------|--------------------------|-------------------------|--------------------------|------------|
| | PVC Division | Other Materials Division | PVC Division | Other Materials Division | n/a |
| BUDGET* | | | | | |
| The total cost of modifications to the final ROV must be \$25 or less | X | X | X | X | |
| The cost of modifications may exceed \$25 | | | | | X |
| MATERIALS | | | | | |
| Frame built using only PVC, CPVC, PEX pipe and fittings. | X | | X | | X |
| Attachments and non-frame parts made from various materials but may not include 3D printed or additive manufactured parts. | X | | X | | |
| Frame and other parts may include 3D printed or additive manufactured parts as well as other materials. | | X | | X | X |
| Parts may be made using CNC machinery. | | | | | X |
| POWER SUPPLY | | | | | |
| Must design for and utilize a 12-volt power source | X | X | X | X | X |
| May utilize a second power source (no more than 12-volts) to power auxiliary equipment | X | X | X | X | X |
| MOTORS | | | | | |
| Must include waterproofed motors | X | X | X | X | X |
| Must use ONLY stock SeaPerch motors (Jameco Electronics 232022) for propulsion** | X | X | X | X | X |
| Additional non-stock motors may be used for non-propulsion uses | X | X | X | X | X |
| May include more than 3 thrusters (i.e. Motor and propeller assembly) | | | | | X |

2020 SeaPerch Challenge Competition Classes and Design Rules



| CONTROLLERS | | | | | |
|---|---|---|---|---|---|
| May only use simple on/off switches for thruster controls | X | X | X | X | |
| May use power conditioning or pulse-width modulation (PWM) controls for thruster controls | | | | | X |
| May use microcontrollers such as Arduino or Raspberry Pi for thruster controls | | | | | X |
| May use PWM, microcontrollers, or other devices for non-thruster controls | X | X | X | X | X |
| May use a fixed or variable resistor to reduce voltage | X | X | X | X | X |
| STRUCTURE/SIZE | | | | | |
| Must fit through 18" diameter hoop | X | X | X | X | X |
| COMPETITION CRITERIA | | | | | |
| ROV must not be modified after compliance check (with the exception of buoyancy) | X | X | X | X | X |
| The same ROV must be used for both pool events | X | X | X | X | X |
| Team includes a student in 9 th grade or above | | | X | X | X |

*Budget Guidelines include:

- Donated material will be assessed at what the cost would be to procure the material.
- Spare parts and tools are not included in this budget.
- Materials used on earlier prototypes are not included in this budget. Only materials and supplies used on the competition ROV and controllers that are not part of the standard SeaPerch ROV kit should be included.
- Proof of budget compliance should be made available to the judges upon request.
- 3D printed parts will be costed out at \$0.05 per gram.

** Thrusters used for propulsion are thrusters that directly exert force against the water causing the ROV to move in any direction.